ABOUT**U**S

We have been established as an Import and Export Construction Materials that has built a strong reputation for safety, strength and versatility to meet international standards within this industry at a competitive price.





WHAT YOU CAN THINK, YOU CAN CREATE. WE CAN HELP.



CONTENTS



Head Office : 753 Quirino Hi-way, San Bartolome, Novaliches,

Quezon City, Philippines, 1116

Trunk line: : 02) 936-1715 / (02) 431-7934

Telefax: : (02) 935-9754 / (02) 937-6067

Warehouse : 42 Golden Road Kaybiga, Caloocan City, Phils.

TIN : 009-476-322

SEC : CSC201628122

Established : December 7, 2016


Principal Business : Trading of import and export construction materials

Activities





Product Information - Phenolic Board



DESCRIPTION

Phenolic Board or Film-faced marine plywood is made of 100% hardwood veneers. It is designed to create phenolic film which is applied and sealed to all four sides to make resistant against moisture. It is tougher and more durable than any conventional plywood, and has smooth surface.

| SIZES | COLOR | BONDING Strength |
|--|------------------------------|---------------------|
| 1220 X 2440 X 18 MM 3/4 x 4 x 8 (18 mm) | Black with yellow gold print | 0.85 MPA |
| 1220 X 2440 X 12 MM 1/2 x 4 x 8 (12 mm) | Black with yellow gold print | 0.85 MPA |



Product Information - Phenolic Board

Phenolic Board is an ideal material used for:

Making Furniture and cabinet Residential Flooring Industrial Flooring
Bracing
Box-Beams
Portal Frame Gussets

Because of its smooth, grain-free surface, its glossy, its high load-bearing capacity

BENEFITS

Reusable unlike ordinary and lower grade boards

Cost-saving

Durable, workable

Easily installed

Giving consistently smooth, beautiful surface

Eliminating plastering, ready for painting

Resistant against water and corrosion

Time savings because of its smooth surface

Reversible, pre-surfaced on two sides with impregnated phenolic resin film.



Product Information - Scaffolding

Frame system



The door frame looks like door type, so we called it door type or door model frame scaffolding, which is including Main frame. Diagonal/Cross Brace, Horizontal Brace, Walk Board, adjustable jack base etc. Give full play to the role of the framework, stable combination of good performance, and the overall stable structure, easy and fast to assemble and dismantle without any other tools, aerial work more safety, it is an ideal material for construction.



Product Information - Scaffolding

Frame System






<u>ZL-001</u> Walk Through Frame



<u>ZL-002</u> Walk Through Frame



<u>ZL-003</u> Ladder Frame ZL-004 Ladder Frame



Product Information - Scaffolding

Frame System






ZL-005
Ladder Frame


Walk Through Frame

ZL-007
Ladder Frame

ZL-008
Ladder Frame



Product Information - Scaffolding



Ring-lock systems consists of Standard, Ledger, Diagonal brace, screw jack base, and Top Brace. Safe and convenient to operate, fast to assemble and dismantle, widely used in scaffolding construction. Such as formwork support, exterior trim construction etc.



Product Information - Scaffolding

Ring-lock System



ZL-010 Ledger



ZL-011 Diagonal Brace



Board Bracket

ZL-009 Standard



ZL-013 Base Collar

Kwikstage System




Kwikstage System consists of Standard, Ledger, Walk Board, Screw Jack Base, Top Brace etc., safe and convenient to operation, fast to assemble and dismantle.



Product Information - Scaffolding

Kwikstage System







ZL-018

ZL-019



Product Information - Scaffolding

Prop System

ZL-014












 $\mathbf{P}_{ ext{roduct Information}}$ - Scaffolding

Prop System





Beam

U-Head

ZL-020

Fork-Prop-Tripod

Prop

ZL-021 Heavy Duty Props Adjust Area 0.50m-0.80m 0.60m-1.00m 0.70m-1.20m 1.00m-1.80m 1.60m-2.90m 1.70m-3.00m

1.70m-3.00m 2.00m-3.50m

2.00m-3.60m 2.00m-3.80m

2.20m-4.00m

2.50m-4.50m ZL-022

2.80m-5.00m

Light Duty Props

3.50m-5.50m

48mm/40mm, 56mm/48mm, 60mm/48mm, 76mm/63.5mm, 89mm/76mm



Adjust Area

0.50m-0.80m ZL-024

0.60m-1.00m

Medium Duty Props

0.70m-1.20m

1.00m-1.80m

1.60m-2.90m

1.70m-3.00m

E-mail: phil_con8@yahoo

| | 2.00m-3.50m |
|-----------------|-------------|
| | 2.00m-3.60m |
| | 2.00m-3.80m |
| ZL-023 | 2.20m-4.00m |
| Push-pull Props | 2.50m-4.50m |
| | 2.80m-5.00m |
| | 3.50m-5.50m |



Product Information - Scaffolding







ZL-026 ZL-027
Prop sleeve (outer threaded) Prop sleeve (inner threaded)





ZL-028
Internal threaded sleeve


ZL-029
Base plate (Flower type)

 $\begin{tabular}{ll} ZL-030 \\ Base plate (Square type) \\ \end{tabular}$





Product Information - Scaffolding



Cup lock scaffolding consists of Adapter of cup lock, standard, ledger, diagonal brace, top support. Screw jack base and the other supporting components composition, the Adapter is the core part of Cup lock scaffolding. Mainly by the Top cup. Bottom cup, connector of standard and Ledger, and limit pins of top cups.



Product Information - Scaffolding

Cup-lock System





ZL-037 Intermediate Transform



ZL-038 Diagonal Brace



ZL-035 Standard



Product Information - Scaffolding

Walk Board



ZL-040 (L*W*H)
1000mmX300/228mmX60mm
1500mmX300/228mmX60mm
2000mmX300/228mmX60mm
2500mmX300/228mmX60mm
3000mmX300/288mmX60mm




ZL-041 (L*W*H)
1000mmX210/225/240/250mmX45/50mm
1500mmX210/255X240/250mmX45/50mm
2000mmX210/225X240/250mmX45/50mm
3000mmX210/225X240/250mmX45/50mm
4000mmX210/225X240/250mmX45/50mm



ZL-042 (L*W*H) 1500mmX488mmX62mm 1800mmX488mmX62mm 2000mmX488mmX62mm 2200mmX488mmX62mm



ZL-043 (L*W*H) 1000mmX330/370mmX40mm 1500mmX330/370mmX40mm 2000mmX330/370mmX40mm 2200mmX330/370mmX40mm



ZL-044 (L*W*H) 1500mmX400mmX40mm 1800mmX400mmX40mm




ZL-045 (L*W*H) 2660mmX500mm 2460mmX400mm

E-mail: phil_con8@yahoo.com

$2000mmX400mmX40mm\\2200mmX400mmX40mm$

1800mmX400mm



Product Information - Scaffolding

Coupler System



ZL-046
British forge right angle coupler



ZL-047 British forge swivel couple



ZL-048 German forge right angle coupler



ZL-049
British forge swivel coupler













ZL-052
Italian forge right angle coupler

ZL-053

Italian forge swivel coupler

ZL-054

Spe

Special-shaped forged right angle coupler



Product Information - Scaffolding

Coupler System



ZL-055 Special-shaped forged swivel coupler



ZL-056
Fixed grinder coupler



ZL-057 Putlog coupler



ZL-058



ZL-059



ZL-060

E-mail: phil_con8@yahoo.com

Italian malleable iron double coupler

Italian malleable iron swivel coupler Italian forged half coupler







ZL-061 Pressed sleeve coupler

ZL-062 Forged internal coupler

ZL-063 Forged single swivel coupler



Product Information - Scaffolding

Coupler System







ZL-065 British pressed swivel coupler



ZL-066 Korean pressed right angle





l_con8@



ZL-067 Pressed sleeve coupler

ZL-068 Forged internal coupler

ZL-069 Forged single swivel coupler







ZL-070 Pressed putlog coupler

ZL-071 Casted Spring Clamp

ZL-072 Pressed Spring Clamp



Product Information - Scaffolding

Accessories System







ZL-073 10/12mm 15/17mm 20/22mm Tie Rod

ZL-074 1.0KG Pressed washer plate

ZL-075 0.54KG Casted water stopper







ZL-076 0.28KG Butterfly wing nut

ZL-077 0.66KG Two anchor wing nut

 $\begin{array}{c} ZL\text{-}078 \\ 0.73KG \end{array}$ Three anchor wing nut







ZL-079 1.5KG Combination nut

ZL-080 100mm/0.4KG 50mm/0.2KG Hex nut

ZL-081 0.3KG One anchor wing nut



Product Information - Scaffolding

Accessories System







ZL-082 1.36KG Clamp

ZL-083 0.45KG 8-10KG Casted wedge clamp

ZL-084 1.9KG step by step tight







ZL-085 Solid Screw jack Base

ZL-086 U-head Screw jack

ZL-087 4.5KG Guard rail post









ZL-088 0.2KG Bottom cup

ZL-089 0.48KG Top cup

ZL-090 0.22KG Ledger end

 $\begin{array}{c} ZL\text{-}091 \\ 36x2x200mm \\ Coupling Pin \end{array}$



Product Information - Scaffolding

Accessories System







 $\begin{array}{c} ZL\text{-}092 \\ 0.72KG \\ \text{Brace end with edge} \end{array}$

ZL-093 0.62KG Ledger end with wedge

ZL-094 1.16KG Combination ledger end







ZL-095 0.62KG Ledger end with wedge

ZL-096 0.72KG Brace end with wedge

ZL-097 0.45KG Rosette











E-mail: phil_con8@yahoo.com

ZL-098 6" /8"

ZL-099 6" /8"

ZL-100 6" /8" ZL-101 6" /8" ZL-102 6" /8"

Rubber Caster Wheel Universal Caster Wheel

Universal Caster Wheel

Universal Adjusting Wheel Universal Adjusting Wheel



Our Customers

New Golden City Builders & Dev't

DCCI

One Mega Construction





Alphatech Chemical Corp.



Island Construc tion



Raigon



E-mail: phil_con8@yahoo.com Romari

Accuate



MJB Builders

Your success is our accomplishment!